















Hofmann Machine Sales

Make/Model	Description	Price AUD Exc GST
<u>Gear Cutting Machines</u>		
 <p>Hey 20" Gear Tooth Rounding Machine</p>	<p>20" gear tooth rounding and chamfering machine, 500mm max diameter, external gears, 300mm max work length.</p>	<p>POA</p>
<u>Gear Grinders</u>		
 <p>Hofler H1000 Gear Grinder</p>	<p>Max Gear Diameter: 1000mm, Max Gear Face: 430mm, Max Wheel Diameter: 350mm, Gear Width: 430mm, max of 124 teeth, Grinding Wheel Size: 350x35x127mm.</p>	<p>POA</p>
 <p>Matrix 46U Worm Gear Grinder</p>	<p>Maximum Diameter: 254mm, Worm and Thread Grinding Machine, 1066mm max length between centres, 39rpm max speed, 0.75hp workhead motor, straight and taper grinding.</p>	<p>POA</p>
<u>Machining Centres</u>		
 <p>Mitsubishi V360 CNC Machining Centre</p>	<p>Model V360, machine comes complete with 10 Tool-changer, Year 1999.</p>	<p>POA</p>
 <p>Schuess HL125 CNC Machining Centre</p>	<p>Travel Range X-axis: 1826mm, Y-axis: 1435mm, Z-axis: 2268mm, W-axis: 700mm, Rotary Table: 1250x1250mm, Resolution: 0.01°, Integrated Tool Changer and Head Changer, Retrofitted 2001, Pallet Changer: 1250x1250mm, Max Table Load: 4500Kg.</p>	<p>POA</p>
<u>Horizontal Borers</u>		
 <p>Scharmann Borer FB 125 Repromat</p>	<p>Mechanical Retrofit 2007, Table: 1400x1000mm, Table Max Load: 6 Tonne, Feed Rate: 20–1700mm/min, Spindle Speed: 5-1000rpm, New Bearings Throughout Machine, New Vertical Ball Screw, Heidenhain 3 Axis Digital Readout.</p>	<p>POA</p>
<u>Vertical Roll Press</u>		
 <p>Hugh Smith 300 tonne Roll Press</p>	<p>300 tonne at 4500psi, 2400mm plate height capability, form bars 2440mm length, 16 inch roller diameter.</p>	<p>POA</p>










Please email mail@hofmann.net.au for more information on any of the above machines.

Hofmann Machine Sales

Make/Model	Description	Price AUD Exc GST
<u>Gear Inspection Machines</u>		
	Klingelnberg PSFU 2500 Work piece diameter 250-2500mm, max base circle diameter 2400mm, max helix angle 45 degrees.	POA
	Klingelnberg PSFU 1200 Max. Workpiece Ø: 1200mm, Max. Module 25.4, Max. Helix Angle: 45°, Measurable Tooth Length 250mm, Machine has been Completely Overhauled by Weko Industries of Germany in 1999.	POA
	Ferranti Coordinate Measuring Machine Travel ranges x-axis: 1400mm, y-axis: 2250mm, z-axis: 1000mm, PH9 Probe, Gear Software.	POA
<u>Lathes</u>		
	Mazak Quickturn 20-U CNC Lathe Model Quickturn 20-U, Mazatrol T1 CNC Controller, 400mm Max Swing, 800mm Max Distance between Centres, 2,800 rpm Max Spindle Speed, Hydraulic Chuck Autoblock. 8 Tool Station and Automatic Chip Conveyor as well with this machine.	POA
	Merli Voghera Centre Lathe Max Swing Over Bed: 760mm Ø, Max Swing Over Saddle: 530mm Ø, Available with 3 or 4 Jaw Chuck, Speed Range: 38-1500rpm, Length: 3000mm.	POA
	Poreba TZB-250BP Lathe Max Ø Over Bed: 2600mm, Max Swing: 4100mm x 10000mm long, Independent Bedway to suit Parallel and Tapered Diameters, 2 Independent Tool Posts on Bedway, 1 Independent Tool Post Along Machine Length, Speed Range: 0.5 - 100 rpm, Feed Rate: 0.1 - 16mm/rev, Chuck Diameter: 2m, Max Load: 80 tonne.	POA
	Mazak M4 Lathe Maximum Job Length: 1500mm, Maximum Turning Diameter: 550mm, Maximum Diameter Over Bed: 280mm, Chuck Diameter: 300mm, Speed Range of Chuck: 73 - 2200rpm, Feed Rate: 10000mm/min	POA









Please email mail@hofmann.net.au for more information on any of the above machines.

Hofmann Machine Sales

Make/Model	Description	Price AUD Exc GST
<p><u>Milling Machines</u></p>  <p>EUMEGA MDV-4 Universal Milling Machine 56</p>	<p>Model MDV-4, Variable feeds on all axis, Fagor Digital Readout on X, Y & Z Axis, Table size: 1,200mm long x 250mm wide, Bed size: 500mm long x 250mm wide, Year 2000.</p>	<p>POA</p>
 <p>EUMEGA MDV-4 Universal Milling Machine 136</p>	<p>Model MDV-4, Machine comes complete with Fagor NVK 20 Digital Readout on X & Y Axis, Table size: 1,200mm long x 250mm wide, Bed size: 500mm long x 250mm wide, Year 1996.</p>	<p>POA</p>
 <p>EUMEGA MDV-4 Universal Milling Machine 97</p>	<p>Model MDV-4, Variable feeds on all axis, Fagor Digital Readout on X, Y & Z Axis, Table size: 1,200mm long x 250mm wide, Bed size: 500mm long x 250mm wide, Year 1998.</p>	<p>POA</p>
 <p>EUMEGA MDV-4 Universal Milling Machine 55</p>	<p>Model MDV-4, Variable feeds on all axis, Fagor Digital Readout on X, Y & Z Axis, Table size: 1,200mm long x 250mm wide, Bed size: 500mm long x 250mm wide, Year 2000.</p>	<p>POA</p>
 <p>EUMEGA MDV-4 Universal Milling Machine 57</p>	<p>Model MDV-4, Variable feeds on all axis, Fagor Digital Readout on X, Y & Z Axis, Table size: 1,200mm long x 250mm wide, Bed size: 500mm long x 250mm wide, Year 2000.</p>	<p>POA</p>
 <p>Bridgeport Universal Milling Machine</p>	<p>Model 164-326, Machine comes complete with Mitutoyo Digital Readout for X & Y Axis, Bed size: 1,100mm long x 220mm wide, Year 1980.</p>	<p>POA</p>
 <p>Pacific FT2 Universal Milling Machine</p>	<p>Machine comes complete with Digital Readout for X & Y Axis. Table Size: 1,250mm long x 230mm wide, Bed Size: 530mm long x 230mm wide, Year 1980.</p>	<p>POA</p>
 <p>Tos FA3A-V Universal Milling Machine</p>	<p>Model FA3A-V, Year 1968 (approx).</p>	<p>POA</p>
 <p>Huron Universal Milling Machine 83</p>	<p>Huron Universal Milling Machine.</p>	<p>POA</p>










Please email mail@hofmann.net.au for more information on any of the above machines.

Hofmann Machine Sales

Make/Model	Description	Price AUD Exc GST
<u>Milling Machines continued</u>		
 <p>Huron Universal Milling Machine 84</p>	Huron Universal Milling Machine.	POA
 <p>Huron KU6 Universal Milling Machine</p>	Model KU6, Machine is equipped with Sony Digital readout for both X, Y & Z Axis.	POA
 <p>Huron D200-DM Universal Milling Machine 134</p>	Model D200-DM, machine comes complete with Acu-Rite Digital Readout on X,Y & Z Axis. Table Size: 1,440mm long x 460mm wide, Year 1960.	POA
 <p>Mazak VGC-2050B CNC Universal Gantry Mill 138</p>	Model VGC-20/50B, CNC Controller Mazatrol Cam M2, Complete with chip conveyor and automatic tool changer, Bed size: 1,250mm long x 550mm wide, Year 1986.	POA
 <p>Mazak VQC-3050V Vertical Gantry Mill 139</p>	Model VQC-30/50V, CNC Controller Mazatrol Cam M2, 40 Tool Changer, Swarf Outfeed inclined Conveyor, 4,000mm long x 200mm wide, Adjustable Footings, 4 axis, Bed size: 1,700mm long x 750mm wide, Year 1985.	POA
 <p>Mazak VQC-3050V Vertical Gantry Mill 199</p>	Model VQC30/50V, CNC Controller Mazatrol Cam M2, 40 Tool Changer, Swarf Outfeed inclined Conveyor, 4,000mm long x 200mm wide, Adjustable Footings, 4 axis, Bed size: 1,700mm long x 750mm wide, Year 1985.	POA
 <p>Wanderer Vertical Milling Machine</p>	Clamping area: 475x1600mm, 18 spindle speeds, max speed 900rpm, 20hp motor.	POA
 <p>King Rich KRV3000 Universal Milling Machine</p>	King Rich KRV3000 Universal Milling Machine	POA










Please email mail@hofmann.net.au for more information on any of the above machines.

Hofmann Machine Sales

Make/Model	Description	Price AUD Exc GST
<u>Tool and Cutter Grinders</u>		
 Waldrich Siegen Ingersol Form Grinder	Grinds to involute form on carbide form, cutters up to 500mm diameter, Year 1964.	POA
 Maag WS3 Tool and Cutter Grinder	Maag WS3-6905, Zurich, Tool and Cutter Grinder	POA
 Deckel TS-TCG1 Tool and Cutter Grinder	Deckel TS-TCG1 Tool and Cutter Grinder	POA
<u>Surface Grinders</u>		
 Repcos Power Surface Grinder	Surface Grinder.	POA
 Jones & Shipman 1307 Universal Cylindrical Grinder	Model 1307, 1,600mm long x 250mm wide, Year 1990.	POA
 Jones & Shipman ME40 Universal Cylindrical Grinder	Model ME40, 190mm dia x 1,100mm long, Machine is equipped with both internal and external cylindrical grinding, Machine is also able to do taper grinding as the complete bed is able to be angled.	POA
 Jones & Shipman 1300 Universal Cylindrical Grinder	Model 1300, 240mm dia x 900mm travel, Machine is equipped with both internal and external cylindrical grinding, Machine has taper grinding capability, Machine is fitted with digital readout on both radial in-feed and longitudinal motion.	POA
 Hunz Sielemann Grinder	Table diameter: 800mm, swing: 1000mm, height: 600mm.	POA
<u>Sheet Metal Machines</u>		
 Manual Sheet Metal Folder	1800mmx1600mm. Max Bending Capacity: 1.6mm	POA

Please email mail@hofmann.net.au for more information on any of the above machines.

Hofmann Machine Sales

Make/Model	Description	Price AUD Exc GST
<u>Drilling Machines</u>		
 <p>MAS VR6A Radial Arm Drill</p>	<p>Model VR6A, Geared head with motorized adjustment arm, 1,800mm Throat, Year 1968.</p>	<p>POA</p>
 <p>MAS VR4 Radial Arm Drill</p>	<p>Model VR4, Year 1966.</p>	<p>POA</p>
 <p>MAS VR4 Radial Arm Drill 58</p>	<p>Model VR4, Geared Head with Motorized Adjustment Arm, 1,200mm Throat, Year 1965.</p>	<p>POA</p>
 <p>MAS VR4 Radial Arm Drill 135</p>	<p>Model VR4, 1,200mm Throat, Year 1969.</p>	<p>POA</p>
 <p>Asquith Radial Drill</p>	<p>31-830rpm spindle speed range, 0.25-6" feed range, base to spindle: 1400mm, head travel: 1000mm.</p>	<p>POA</p>
 <p>Servian Radial Drill</p>	<p>1000mm head travel, 50-2240rpm speed range, table dimensions: 590x500x500mm, max torque: 37.5kg/m, max drilling pressure: 1250kg.</p>	<p>POA</p>
<u>Overhead Cranes</u>		
 <p>Stall Overhead Crane 4 tonne</p>	<p>4 tonne capacity.</p>	<p>POA</p>
 <p>Overhead Crane 8 tonne</p>	<p>8 tonne capacity.</p>	<p>POA</p>
 <p>Stall Overhead Crane 4 tonne</p>	<p>4 tonne capacity.</p>	<p>POA</p>







Please email mail@hofmann.net.au for more information on any of the above machines.

Hofmann Machine Sales

Make/Model	Description	Price AUD Exc GST
<u>Other Machines And Tools</u>		
 <p data-bbox="406 547 700 585">Vertical Press 38 Tonne</p>	<p data-bbox="938 547 1576 614">Purpose built, 4 Post, with Hydraulic Power Pack Top Mounted, Single RAM and Safety Catch, 1980</p>	<p data-bbox="1922 547 1984 585">POA</p>
 <p data-bbox="406 832 721 870">Panasonic Welding Robot</p>	<p data-bbox="938 832 1618 870">Model VR-006ALII, Panastar Mig Welder RF Mark II 350.</p>	<p data-bbox="1922 832 1984 870">POA</p>
 <p data-bbox="406 1138 658 1176">Component Tumbler</p>	<p data-bbox="938 1138 1694 1205">Component Tumbler for deburring rough edges, 630mm wide x 500mm diameter.</p>	<p data-bbox="1922 1138 1984 1176">POA</p>
 <p data-bbox="406 1371 741 1409">Ingersoll Rand Compressor</p>	<p data-bbox="938 1371 1649 1438">Model SSREPE50/50, 20CFM Capacity, 125 PSI Operating Pressure, 50HP Nominal Drive Motor Power.</p>	<p data-bbox="1922 1371 1984 1409">POA</p>
 <p data-bbox="406 1589 803 1656">Guardem Engineering Automatic Cleaning Station</p>	<p data-bbox="938 1589 1272 1627">Automatic Cleaning Station.</p>	<p data-bbox="1922 1589 1984 1627">POA</p>
 <p data-bbox="406 1808 727 1846">AGIECUT 300 Wire Cutter</p>	<p data-bbox="938 1808 1721 1904">Model AGIECUT300, Agiematic C Controller/Recorder, Water Refrigeration Unit, 2 Power Units and adjustable Footings, 5 Axis, Year 1986.</p>	<p data-bbox="1922 1808 1984 1846">POA</p>
 <p data-bbox="406 2026 634 2064">Sand Blasting Unit</p>	<p data-bbox="938 2026 1245 2064">Small Sand Blasting Unit.</p>	<p data-bbox="1922 2026 1984 2064">POA</p>
 <p data-bbox="406 2245 878 2283">W R Goetz & Sons Ltd Stamping Press</p>	<p data-bbox="938 2245 1624 2283">Stamping Press, 600mm long x 450mm wide, Year 1965.</p>	<p data-bbox="1922 2245 1984 2283">POA</p>

Please email mail@hofmann.net.au for more information on any of the above machines.

Hofmann Machine Sales

Make/Model	Description	Price AUD Exc GST
<u>Other Machines And Tools continued</u>		
 <p>Pedestal Grinder</p>	Pedestal Grinder.	POA
 <p>Guardem Engineering Caustic Washing Tank</p>	1m x 2m long x 1m deep, Electric Heating Elements, Pneumatic Lid Lift, Pneumatic Agitation Table.	POA
 <p>Newman A677502 Parting Off Saw</p>	10hp, 2910rpm.	POA
 <p>Polishing Machine</p>	3 jaw chuck, 2.2kW motor, 1450rpm max speed	POA
 <p>Generating Grinder Grinding Wheels and Diamond Dressers</p>	64 Cubitron Abrasive Grain Ceramic Aluminium Oxide Grinding Wheels and 19 AAA (1) Carat Diamond Dressers	POA
 <p>HSS Threading Box Tools</p>	Tool Holders, ½" to 1½" UN, BSTP, BSF, WHIT.	POA

Please email mail@hofmann.net.au for more information on any of the above machines.